COMPONENT SPECIFICATION

SERIES NAME Metallized polyester film Capacitor For Automobile 37



GIVEN BY: DEKI ELECTRONICS LTD

DEKI ELECTRONICS LTD

B-20, SECTOR-58, NOIDA 201301 Tel: +91 120 2585457/58 • Fax: +91 120 2585289 • Email: rd@dekielectronics.com

Metallized polyester film Capacitor For Automobile



Item Code Description 37 224 Κ 2A 1 Α Design Reference Packing Type Rated Voltage Rated Capacitance tolerance Rated Capacitance Value Series Code

Rated Capacitance

Three-digit (224) indicate rated capacitance in Pico Farad (First two digits indicate value & third digit indicates number of zeroes to be suffixed to first two digits).

For example:			
103 =10 x	10 ³	=	1

103 = 10 ×	10 ³	= 10000 pF	=	10 nF	=0.01 µF
$104 = 10 \times$	10 ⁴	= 100000 pF	=	100 nF	=0.1 µF
$105 = 10 \times$	10 ⁵	= 1000000 pF	=	1000 nF	=1 µF

Capacitance Tolerance

=10 µF $106 = 10 \times$ 10⁶ = 1000000 pF 10000 nF = $F = \pm 1\%$, $G = \pm 2\%$, $H = \pm 2.5\%$, $I = \pm 3.5\%$, $J = \pm 5\%$, $K = \pm 10\%$, $L = \pm 15\%$, $M = \pm 20\%$, $N = \pm 40\%$

Rated Voltage

One digit and one letter (2A) or two digits (05) indicate rated voltage

Rated Voltage Codification

For DC Rated Voltage													
A	۱.	E	3	(0	[)	E	Ξ		F	Ċ	÷
1A	10	1B	12.5	1C	16	1D	20	1E	25	1F	30	1G	40
2A	100	2B	125	2C	160	2D	200	2E	250	2F	300	2G	400
ЗA	1000	3B	1250	3C	1600	3D	2000	3E	2500	3F	3000	3G	4000
F	1			,	J	ł	<	l	_		Μ	Ν	
1H	50	11	45	1J	63	1K	70	1L	80	1M	85	1N	90
2H	500	21	450	2J	630	2K	700	2L	800	2M	850	2N	900
3H	5000	31	4500	3J	6300	3K	7000	3L	8000	3M	8500	3N	9000
C)	F)	C	ב	F	२	0,	S		U	\	/
10	110	1P	120	1Q	1U	1U	15	1S	17	1U	130	1V	60
20	1100	2P	1200	2Q	2U	2U	150	2S	170	2U	1300	2V	600
30	11000	3P	12000	3Q	3U	3U	1500	3S	1700	3U	13000	3V	6000
For AC Rated Voltage													
01	02	03	04	05	06	07	08	09	10	11	12	13	14
190	250	275	305	310	440	500	600	700	63	230	330	400	450
VAC	VAC	VAC	VAC	VAC	VAC	VAC	VAC	VAC	VAC	VAC	VAC	VAC	VAC

Note: For more detail please contact rd@dekielectronics.com



Packing Type

- 1: Bulk packing (original pitch)
- 2: Bulk packing (after forming & cutting)
- 3: Ammo packing (after forming & taping)
- 4: Bulk packing (after forming in original pitch without cut)
- 5: Bulk packing (after formed & without cut)
- 6: Ammo packing (Straight lead)
- 7: Bulk packing (Straight lead cut)
- 8: Reel packing (Straight lead)

0.001µF to 10µF
±5% and ±10%
100Vdc to 1000Vdc
63Vac to 250Vac
40/105/56
105°C
85°C
IEC 60384-2
Polyester
Metallized
Mono
Encased in flame retardant box filled with resin. Customized design for Automobile application
Tinned wire
Type of capacitor, rated capacitance, rated tolerance, rated voltage and traceability code will be available on each and every capacitor. Example- Deki/ 1.5/ K / 160 V
ROHS

Dimensions Description

*Customized design as per customer demand.



Specific Data

Description	Value			
Maximum tangent of loss angle (Tan δ)	Frequency	ncy C _R ≤0.1µF 0.1µI		C _R >1µF
	1 kHz	0.008	0.01	0.01
	10 kHz	0.015	0.02	-
	100 kHz	0.03	-	-
Voltage proof test between leads	1.6 times of the rat	ed DC voltage for	2 second	
Insulation Resistance (R _{IS})	Rated Voltage	C _R ≤0.33 µ	F C _R >0.	33 µF
(or) time constant $T = C_R \times R_{IS}$	≤100 Vdc	≥3750 MΩ	50 MΩ ≥1250 s	
at 25° C, relative humidity ≤70%	>100 Vdc	≥7500 MΩ	≥2500)s


Endurance Test

Loaded at 1.25 times of rated voltage at 85°C or 1.25 times of the category voltage at 105°C for 1000 hours. Category voltage is 75% of the rated voltage.

After The Test

Temperature Derating Graph

For temperature between 85°C and 105°C a derating factor of 1.25% per °C on the rated voltage V_R has to be applied.





Power Dissipation and Maximum Component Temperature Rise

After applying the A.C voltage to the capacitor with certain frequency, we can measure the hot spot temperature of the capacitor. From that we can calculate ΔT .

 ΔT = hot spot temperature – ambient temperature

Capacitor being Tested	T ₁	T ₂	

T₁ is the capacitor under test (Connected in the circuit)

 T_2 is capacitor which has no connection

Distance between T_1 and T_2 should be about 50mm and 100mm from other components. To avoid radiation or convection, the capacitor should be tested in a wind-free box. The capacitor under test is separated by polystyrene.

 $\Delta T_{max} = T_1 - T_2$

at one frequency level the ΔT_{max} reach 10°C. That is the frequency which we have to start frequency derating.

Storage Conditions

Avoid storing the capacitors in places where the environmental conditions differ from the following:

- Storage time: ≤ 24 months from the date marked on the label glued to the package.
- Temperature: -40 to 80°C
- Humidity:

- Average per year: ≤70%

For 30 full days randomly distributed throughout the year: ≤85%
Dew: absent

After a longer period of storage or use, the tolerance can increase; but, according to standard specification, it may never exceed twice the value measured at the time of delivery.

Disclaimer

All our capacitors are designed, manufactured and tested to specifications. We strictly adhere to standards in procurement of materials, in the laid down manufacturing processes and consistently apply stringent process controls and testing parameters. This ensures that our capacitors always perform to the offered specifications.

Appropriateness of use in a specific circuit and fitness to a particular application however needs to be verified and its reliability through expected lifetime is required to be validated by the customer. Deki's responsibility is limited to ensuring that the capacitor performs as claimed in the specification/ data sheets provided by Deki. Deki specifically disclaims any implied warranties of fitness for any particular purpose. Liability, in any case is limited to the price paid for the capacitors.